

2007 H3 TECHNICAL SPECIFICATIONS

EXTERIOR DIMENSIONS (in.)

OVERALL HEIGHT (WITHOUT OPTIONAL ROOF-RACK CROSSBARS)	74.5
OVERALL WIDTH	85.5
OVERALL LENGTH (WITH REAR TIRE COVER) NOTE 1	186.7
WHEELBASE	111.9
OVERHANG	
FRONT	31.5
REAR	35.2
TRACK WIDTH	
FRONT	65.0
REAR	65.5

INTERIOR DIMENSIONS (1ST ROW MEASUREMENTS, in.)


HEADROOM	40.6
SHOULDER ROOM	54.4
HIP ROOM	53.9
LEGROOM	41.9

CARGO DIMENSIONS NOTE 2

LENGTH (BEHIND REAR SEAT, in.)	32.0
WIDTH (AT FLOOR, in.)	42.1
CARGO CAPACITY (MITH DEAD SEAT DOWN CILIFE)	55.7

OFF-ROAD CLEARANCES

GROUND CLEARANCE (in.)	
STANDARD 32" TIRES	8.5
OPTIONAL 33" TIRES	9.1
APPROACH ANGLE	
STANDARD 32" TIRES	37.5°
OPTIONAL 33" TIRES	39.4°
DEPARTURE ANGLE NOTE 3	
STANDARD 32" TIRES	35.5°
OPTIONAL 33" TIRES	36.5°
BREAKOVER ANGLE	
STANDARD 32" TIRES	23.5°
OPTIONAL 33" TIRES	25.0°





WEIGHTS & CAPACITIES

GVWR (lb.) NOTE 4	5,850
CURB WEIGHT (lb.)	4,700
PAYLOAD, MAXIMUM (lb.) NOTE 5	1,150
TRAILERING, MAXIMUM (Ib.) NOTE 6	4,500
FUEL TANK CAPACITY (Ib.)	23

2007 H3 COMPONENTS & FEATURES

ENGINE

TYPE: Vortec™ 3700 3.7L

HORSEPOWER: 242 hp @ 5600 rpm (SAE)

TORQUE: 242 lb.-ft.@ 4600 rpm

GOVERNOR TYPE: Multi-point sequential fuel injection

DISPLACEMENT: 223 cu.in.
BORE AND STROKE: 3.76 x 4.00
COMPRESSION RATIO: 10.0:1

CRAWL RATIO:

BASE VEHICLE: 45.0:1

WITH OPTIONAL OFF-ROAD SUSPENSION PACKAGE: 68.9:1

FUEL CONSUMPTION: NOTE 7

MANUAL TRANSMISSION: 15 mpg city/20 mpg highway AUTOMATIC TRANSMISSION: 15 mpg city/19 mpg highway

TRANSMISSION

Standard 5-speed manual or optional Hydra-Matic 4L60-E 4-speed automatic

DRIVETRAIN

2-speed, electronically controlled, full-time 4WD

TRACTION CONTROL SYSTEM (TC)

Brake-controlled, single-wheel control capability with rear axle electronic locking differential

STEERING

Power-assisted, rack-and-pinion, with tri-bushing mount design

BRAKES

Electro-hydraulic power 4-wheel disc, 4-wheel anti-lock, 4-piston opposed fixed front caliper/single-piston sliding rear caliper with Dynamic Rear Proportioning

FRONT SUSPENSION

Independent SLA torsion bars, 46 mm, monotube gas-charged shocks and 36 mm tubular stabilizer bar $\,$

REAR SUSPENSION

Multi-leaf, semi-elliptic dual-stage leaf spring, 46 mm, monotube gas-charged shocks and 25 mm rear stabilizer bar

FRAME

Fully welded steel

WHEELS & TIRES

 $16\ \text{in.}\ x7.5\ \text{in.}$ aluminum wheels, $32\ \text{in.}\ P265/75R16$ all-terrain tires with full-size spare tire

PERFORMANCE

TURNING CIRCLE: 37 ft.

GRADE CAPABILITY: 60%

SIDE SLOPE CAPABILITY: 40%

WATER FORDING DEPTH: 24 in. @ 5 mph; 16 in. @ 20 mph

VERTICAL SCALING HEIGHT: 16 in.

2007 H3 STANDARD & OPTIONAL EQUIPMENT

STANDARD INTERIOR EQUIPMENT

OnStar® with 1-year Safe & Sound service plan NOTE 8

Power windows, including "express down" driver window

Power door locks

Dual front air bags with Passenger Sensing System NOTE 9

Seating for 5

Cloth seats

Fold-down 60/40 split rear seat

Remote keyless entry with panic button

Electric rear window defogger

Manually controlled front air conditioning system with electronic controls

AM/FM stereo with CD player

TheftLock™ for RDS radio

Driver Information Center with up to 22 alerts

StabiliTrack Stability Enhancement System

Traction control

Content alarm theft deterrent system

PASSLock® theft deterrent vehicle security system

Battery rundown protection

Two 12-volt auxiliary covered power outlets in front; one covered outlet

in the rear cargo area

Tuflor™ rubberized flooring in cargo area

Five assist handles

Cruise control

Electrochromic rearview mirror with 8-point compass, outside

temperature display and OnStar controls

Retained accessory power

2.64:1 2-speed transfer case

STANDARD EXTERIOR EQUIPMENT

One-piece swing gate with assist strut

Swing gate mounted full-size spare tire

Fog lamps

Daytime running lamps

Dual composite halogen headlamps

Full underbody protection

Front and rear recovery hooks

4-wheel disc brakes with ABS

Tire pressure monitoring system (TPM)

OPTIONAL EQUIPMENT

Head Curtain side air bags NOTE 9

Sliding glass sunroof with "express open" and "express close'

Hydra-Matic 4L60-E 4-speed automatic transmission

Chrome Appearance Package (includes door handles and mirror caps)

Trailer hitch and wiring harness

Chrome or black tubular assist steps

16 in. x 7.5 in. chrome wheels

In-dash 6-disc CD changer with AM/FM stereo and premium 7-speaker Monsoon® sound system

AM/FM stereo with single, front-loading CD and MP3 disc-playing capability, plus premium 7-speaker Monsoon® sound system

Off-Road Suspension Package (fully locking electronic rear differential. 4.03:1 2-speed transfer case, 33 in. LT285/75R16C on-road/off-road tires)

XM Satellite Radio with 3 trial months of service NOTE 10

Universal Home Remote with lighted vanity mirrors

Navigation Radio

2007 H3 OPTIONS

H3 ADVENTURE

Includes fully locking electronic rear differential, 4.03:1 2-speed transfer case, and 16x7.5 in. chrome wheels with 33 in. LT285/75R16C on-road/off-road tires

H3 LUXURY

Leather-appointed interior

Heated front seats with 8-way power adjustment (including lumbar support)

Leather wrapped steering wheel

Chrome Appearance Package (includes door handles and mirror caps)

Premium front and rear oversize carpeted floor mats

In-dash 6-disc CD changer with AM/FM stereo and premium 7-speaker Monsoon® sound system

H3 LUXURY WITH OFF-ROAD SUSPENSION OPTION

Combined for the ultimate on and off-roading experience

NOTE 1: This data applies to models without optional accessories. Consult your HUMMER dealer for dimensions with other optional accessories.

NOTE 2: Cargo and load capacity are limited by weight and distribution. NOTE 3: This data applies to models without hitch and optional accessories.

Consult your HUMMER dealer for dimensions with other optional accessories.

NOTE 4: GYWR (Gross Vehicle Weight Rating) includes vehicle, passengers, equipment and cargo. GWWR availability may vary depending on equipment selected.

NOTE 5: Payload includes passengers, equipment and cargo. NOTE 6: 4,500 lb. trailering capability with automatic transmission; manual transmission has a 3,000 lb. maximum trailering capability. Trailer tongue weight should be 10%–15% of total loaded trailer weight, up to 500 lbs. Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of their optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your HUMMER dealer for additional details.

NOTE 7: EPA estimated mpg 15 city/20 highway.

NOTE 8: Call 1.888.4.0NSTAR (1.888.466.7827) or visit www.onstar.com for system limitations and details.


NOTE 9: Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with Passenger Sensing System, children are safer when properly secured in a rear seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Vehicle Owner's Manual and child safety seat instructions for more safety information.

NOTE 10: Available in the 48 contiguous United States.

Required \$12.95 monthly subscription sold separately after three trial months. For more information, visit gm.xmradio.com.

2007 H3 EXTERIOR COLORS

2007 H3 INTERIOR COLORS



OPTIONAL LEATHER APPOINTED SEATING







EBONY WITH MOROCCO-TONED SEAT INSERTS AND PIPING



LIGHT CASHMERE WITH EBONY PIPING

STANDARD CLOTH SEATING SURFACES



EBONY WITH PEWTER SEAT INSERTS



EBONY WITH LIGHT CASHMERE SEAT INSERTS



EBONY WITH RED SEAT INSERTS

2007 H3 WARRANTY

In addition to the Vehicle Coverage described in the Warranty and Owner Assistance Information booklet, General Motors will warrant each 2007 model year passenger car, light duty truck or van for 5 years, or 100,000 miles/160,000 kms. with no deductible, whichever comes first, from the original in-service date of the vehicle, for warrantable repairs which are required as a result of defects due to material and/or workmanship to the Powertrain components as listed below:

ENGINE: Cylinder head, block, timing gears, timing chain, timing cover, oil pump/oil pump housing, OHC carriers, valve covers, oil pan, seals, gaskets, turbocharger, supercharger and all internal lubricated parts as well as manifolds, flywheel, water pump, harmonic balancer and engine mount. Timing belts are covered until the first scheduled maintenance interval. TRANSMISSION/TRANSAXLE/TRANSFER CASE: Case, all internal lubricated parts, torque converter, transfer case, transmission/transaxle mounts, seals, and gaskets. DRIVE SYSTEMS: Final drive housing, all internal lubricated parts, axle shafts and bearings, constant velocity joints, axle housing, propeller shafts, universal joints, wheel bearings, locking hubs, front differential actuator, supports, front and rear hub bearings, seals and gaskets. COURTESY TRANSPORTATION PROGRAM: During the warranty coverage period, alternate transportation and/or reimbursement of certain transportation expenses will be available under the Courtesy Transportation Program if your vehicle requires warranty repairs. Several transportation options are available. Refer to your Owners Manual for details, including reservation of rights, or consult your dealer/retailer. WHAT IS NOT COVERED: All the above items are not covered for damage due to accident, misuse, alteration, insufficient or improper maintenance, contaminated or poor quality fuel. Medium Duty trucks, including the C4500, are excluded from this powertrain coverage. For complete details refer to your Warranty and Owner Assistance Information booklet. ROADSIDE ASSISTANCE PROGRAM: General Motors is proud to offer the response, security, and convenience of the 24-hour Roadside Assistance Program for a period of 5 years or 100,000 miles/160,000 kms., whichever comes first. Refer to your Owner Manual for details, or consult your dealer/retailer. The Roadside Assistance contact information is listed in the Customer Assistance Information booklet.

This is a supplement to the express conditions and warranties described in the Warranty and Owner Assistance Information booklet. Other coverages are not extended or altered due to this supplement. For 2007 model year passenger car, light duty truck and van owners requiring a more comprehensive coverage than what is provided with this warranty and the New Vehicle Limited Warranty, an authorized GM service contract (GM Protection Plan, Saturn Service Plan or Saab) is available through your dealer/retailer. These are the only plans recommended by General Motors. See your dealer/retailer for details.

CORROSION WARRANTY

Since HUMMER trucks are designed to resist corrosion, all body sheet-metal components are warranted against rust-through corrosion for 6 years or 100,000 miles, whichever comes first. Application of additional rust-inhibiting materials is not required, and none is recommended. See your GM dealer for terms and conditions of these limited warranties.

HUMMER ACCESSORY WARRANTY

All accessories listed on the H2 are fully backed by GM and have been designed specifically for your HUMMER, except the GM Officially Licensed Products (see below). Not only are these GM accessories affordable and readily available at your local GM dealer, they've been tested to meet GM standards for durability, performance and safety. They now come with 3 Warranty options for you to choose from:*

OFFICIALLY LICENSED ACCESSORIES

All GM Official Licensed Products purchased from and/or installed by your GM dealer are covered under the individual accessory manufacturers' warranties, they are not warranted by General Motors or its dealers. Should any such GM Official Licensed Product require service, please contact the GM Official Licensed Product manufacturer identified on the product or its accompanying documentation. If the manufacturer is not so identified, contact your GM dealer to obtain the necessary information

*Note that those GM accessories installed after vehicle delivery will carry the balance of the new remaining warranty.

