

Hummer H2 2008 - 2009 Funkfernbedienung Programmierung

Time needed: 5 minutes.

Step-By-Step How To Key Fob Programming Instructions

1. Close All Doors CLOSE all doors.
2. Enter Programming Mode – Step 1 INSERT key into the Ignition (DO NOT TURN).
3. Enter Programming Mode – Step 2 PRESS and HOLD the power UNLOCK button on the Driver's side door. DO NOT release until instructed.
4. Enter Programming Mode – Step 3 TURN the Ignition ON, OFF, ON, OFF

(ON is the position just shy of cranking the engine and OFF is where you can remove your key).

5. Enter Programming Mode – Step 4 RELEASE the power UNLOCK button on the Driver's side door.

Upon release of the UNLOCK button, the vehicle should respond by cycling the door locks LOCK / UNLOCK signaling successful entry into Programming Mode.

- a. IF the door locks cycle, continue to Step 6. If the door locks cycle BEFORE releasing the UNLOCK button, the vehicle has NOT entered Programming Mode and you must RETURN to Step 1.
- b. IF the door locks continue to cycle BEFORE releasing the UNLOCK button, there is a problem with the vehicle's keyless entry system and the remotes must be programmed by a certified professional Automotive Locksmith or Dealer.
- c. IF you are unable to get the door locks to cycle at all, you are turning the key too quick or too slow, there is a problem with your vehicle's keyless entry system, or the vehicle is not equipped with keyless entry. Check with a certified professional Automotive Locksmith or Dealer.

6. Program Remote HOLD the LOCK and UNLOCK buttons on the remote at the same time, up to 30 seconds, until door locks cycle LOCK / UNLOCK to signal successful programming of the remote.
7. Program Additional Remotes REPEAT Step 6 for any additional remotes to be programmed, including working ones.
8. Exit Programming Mode TURN ignition to ON to EXIT Programming Mode.
9. Finalize Programming TURN Ignition to OFF and remove key to finalize programming.
10. Test Remotes TEST all remotes. Programming is complete.
11. Share If these programming instructions helped save you time and money, please consider sharing our website with friends and family so they can do the same.

Programming Notes:

- Verify the following prior to following these instructions:
 - Your vehicle is equipped with keyless entry, and
 - You have a key fob remote that is compatible with your vehicle.
- Obtain all remote transmitters for this vehicle. This procedure will erase all previously programmed remotes. You must program all existing and new remotes that you wish to use on the vehicle at this time.
- You may clear your keyless entry system memory by entering programming mode as shown in the steps above.

Time needed: 5 minutes.

Procedure #1 (Vehicles WITH Driver Information Center Button)

Step-by-Step How To Programming Instructions:

1. Insert Key Into Ignition INSERT key into Ignition and TURN the Ignition to ON/ACC (just shy of cranking engine).
2. Enter Programming Mode – Step 1 PRESS and HOLD the DISP button on the Radio for 5-10 seconds UNTIL settings are displayed.
3. Enter Programming Mode – Step 2 PRESS the SEEK up or down arrows UNTIL “FOB PROG” appears on the display.

4. Enter Programming Mode – Step 3 PRESS the PREV or NEXT buttons to enter the sub menu. The menu will display BEGIN.
5. Enter Programming Mode – Step 4 PRESS the DISP button to ENTER Programming Mode.
6. Program Remote WHEN the message “PUSH FOB” is displayed, PRESS and HOLD the LOCK and UNLOCK buttons at the same time on the first remote to be programmed for 15 seconds. The vehicle will sound to indicate successful programming of the remote.
7. Program Additional Remotes REPEAT Step 7 for any additional remotes to be programmed, including existing ones.
8. Exit Programming Mode SCROLL until “EXIT” appears on the display. PRESS the DISP button to EXIT Programming. The Vehicle will sound to indicate successful EXIT of Programming Mode.
9. Test Remotes TEST all remotes. Programming is complete.
10. Share If these programming instructions helped save you time and money, please consider sharing our website with friends and family so they can do the same.

Time needed: 5 minutes.

Procedure #2 (Vehicles WITHOUT Driver Information Center Button) Step-by-Step How To Programming Instructions:

1. Insert Key Into Ignition INSERT key into Ignition and TURN the Ignition to ON/ACC (just shy of cranking engine).
2. Enter Programming Mode – Step 1 PRESS the Trip Odometer Reset button until “RELEARN REMOTE KEY” is displayed.
3. Enter Programming Mode – Step 2 PRESS and HOLD the Trip Odometer Reset Button for 3 seconds until “REMOTE KEY LEARNING ACTIVE” displays. Vehicle is now in Programming Mode.
4. Program Remote PRESS and HOLD LOCK and UNLOCK buttons at the same time on the first remote for 15 seconds. The vehicle will emit a sound indicating successful programming of the remote.
5. Program Additional Remotes REPEAT Step 4 for any additional remotes to be programmed, including existing ones.

6. Exit Programming Mode TURN ignition OFF and REMOVE key to EXIT Programming Mode.
7. Test Remotes TEST all remotes. Programming is complete.
8. Share If these programming instructions helped save you time and money, please consider sharing our website with friends and family so they can do the same.

Programming Notes:

- Verify the following prior to following these instructions:
 - Your vehicle is equipped with keyless entry, and
 - You have a key fob remote that is compatible with your vehicle.
- Obtain all remote transmitters for this vehicle. This procedure will erase all previously programmed remotes. You must program all existing and new remotes that you wish to use on the vehicle at this time.
- You may clear your keyless entry system memory by entering programming mode as shown in the steps above.